



FLOOR / FOUNDATION PLAN SCALE 1/8" = 1'-0"

- - SISTER MEMBER RECOMMENDED (C-1)
- - TRUSS SEAT FAILURE. SEE APPENDIX C-2 FOR REMEDIATION
- MATERIAL REVIEW AND RE-SHEATHING MAY BE RECOMMENDED
- - REMEDIATION DETAIL C-3

ELECTRICAL LEGEND

- L-1 400 W - 120 V METAL HALIDE LIGHT FIXTURE .
- L-2 175 W - 120 V MERCURY VAPOR LIGHT FIXTURE, DAWN - TO - DUSK .
- (A) LIGHTS TO BE LOCATED NO LOWER THAN BOTTOM OF TRUSSES (30') .
- (B) 3 # 12 / 1/2" PVC CONDUIT .
- EP 200 AMP ELECTRICAL PANEL .

ALTERNATES :

- ALTERNATE NO. 1 : ELECTRICAL WORK.
- ALTERNATE NO. 2 : METAL ROOFING.
- ALTERNATE NO. 3 : ONE ADDITIONAL 8' BAY.
- ALTERNATE NO. 4 : ONE LESS 8' BAY.
- REFER TO SPECIFICATIONS.

INDEX OF DRAWINGS

- SITE DEVELOPMENT PLAN (N.I.C.)
- A-1 FLOOR / FOUNDATION PLAN , LIGHTING PLAN
- A-2 TYPICAL FOUNDATION DETAILS
- A-3 BARRIER WALL DETAILS
- A-4 ROOF FRAMING PLAN , LONGITUDINAL SECTION
- A-5 TRANSVERSE SECTION , STRUCTURAL DETAILS
- A-6 BUILDING ELEVATIONS
- A-7 TYPICAL WALL SECTIONS
- A-8 WALL SECTIONS : SIDEWALL ENTRANCE
- A-9 WALL SECTIONS : SIDEWALL ENTRANCE

I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Registered Professional Engineer under the laws of the State of Minnesota.
 Signed: *[Signature]*
 Date: 7/30/97 Registration No. 18124

NEW 80' X 200' X 12'
SALT STORAGE BUILDING
 FARMINGTON MAINTENANCE SITE
 DAKOTA COUNTY, MINNESOTA

FLOOR/FOUNDATION PLAN
 LIGHTING
 INDEX OF DRAWINGS

ASTA
 ADVANCED STORAGE TECHNOLOGY
 • MINNEAPOLIS, MINN. •
 • ELMIRA, NY •
 • AMHERST, NY •
 • RUTHERFORD, NJ •
 • IRVINE, CA •

M. ORFI, Architect P.C.
 4053 Maple Rd., Amherst, New York 14226
 (716) 833-1337 FAX (716) 833-1375
UNDERHILL CONSULTING ENGINEER, P.C.

HIGH-ARCH GAMBREL U.S. PATENT NO. 4,483,117 CANADIAN PATENT NO. 1,198,464 REVISIONS	DRAWN MO	JOB NO. 97-556
	CHECKED MOA-UCB	DWG. NO. A-1
SCALE 1/8" = 1'-0"	ISSUED 7-30-97	