

A. Crib's brand name \_\_\_\_\_

B. Crib model number \_\_\_\_\_

Crib number (if numbered) \_\_\_\_\_

**Monthly Crib Safety Inspection Form****Use one form for each crib****Use reverse side for annual certification.**

A &amp; B must be completed for every crib used or accessible to any child in care. If you do not have the crib brand name and model number, the crib may not be used.

**Complete items (1), (2), (3), (4), (7), (8), (9) and (12) below for ALL cribs. In addition, complete items (5) and (6) for all full-size cribs and items (10) and (11) for all non-full size cribs.**

Note inspection date under "date" All items must be inspected each month. Document actions taken on the back.

Monthly safety inspection	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date
Document date of review on this line (mm/dd/year)												
(1) No corner posts extend more than 1/16 of an inch												
(2) No spaces between side slats exceed 2.375 inches												
(3) No mattress supports can be easily dislodged from any point of the crib												
(4) No cutout designs are present on end panels												
(5) No heights of the rail and end panel are less than 26 inches when measured from the top of the rail or panel in the highest position to the top of the mattress support in its lowest position												
(6) No heights of the rail and end panel are less than 9 inches when measured from the top of the rail or panel in its lowest position to the top of the mattress support in its highest position												
(7) No screws, bolts, or hardware are loose or not secured, and there is no use of woodscrews in components that are designed to be assembled and disassembled by the crib owner												
(8) No sharp edges, points, or rough surfaces are present												
(9) No wood surfaces are rough, splintered, split or cracked												
(10) There are no tears in mesh of fabric sides in non-full-size cribs												
(11) No mattress pads in non-full-size mesh or fabric cribs exceed 1 inch												
(12) No unacceptable gaps between the mattress and any sides of the crib are present at any of the mattress support positions:												
a. When the noncompressed mattress is centered in the non-full-size crib, the gap between the perimeter of the mattress and the crib is not greater than 1/2 inch at any point.												
b. When the noncompressed mattress is placed against the perimeter of the non-full-size crib, the resulting gap between the perimeter of the mattress and the crib is not greater than 1 inch at any point.												
c. When the noncompressed mattress is centered in the full-size crib, the gap between the perimeter of the mattress and the crib is not greater than 11/16 inch at any point.												
d. When the noncompressed mattress is placed against the perimeter of the full-size crib, the resulting gap between the mattress and the crib is not greater than 1-3/8 inch at any point.												

**Place a plus (+) [meets requirement] or minus (-) [does not meet requirement] for each applicable item (1 to 12).** Upon discovery of any unsafe condition during the safety inspection, immediately remove the crib from use and ensure that the crib is not accessible to children in care. As soon as practicable, but not more than two business days after the inspection, remove the crib from the area where child care services are routinely provided and make necessary repairs or destroy the crib. Document the action(s) taken regarding unsafe cribs on the reverse side of this form.

# Annual Certification of Crib

On \_\_\_\_\_ (date), I \_\_\_\_\_ (name and title) checked the  
crib's brand name and model number listed on Page 1 against the U.S. Consumer Product Safety Commission Web site listing of unsafe cribs.  
www.cpsc.gov

- ☐ The crib was not identified as unsafe on the U.S. Consumer Product Safety Commission Web site.
- ☐ The crib was identified as unsafe on the U.S. Consumer Product Safety Commission Web site, but I have taken the action directed by the United States Consumer Product Safety Commission to make the crib safe (identify all actions taken).
- ☐ The crib was identified as unsafe on the U.S. Consumer Product Safety Commission Web site, and I removed the crib \_\_\_\_\_ (date) so that it is no longer used by or accessible to children in care.

Maintain this documentation on site and make it available to parents of children in care and the commissioner upon request.  
-----

MONTHLY SAFETY INSPECTION DOCUMENTATION (Action(s) taken regarding unsafe cribs during the monthly crib safety inspection.)

---

---

---

---

---

---

---

---

---

---