Your child may have been exposed to:

Parapertussis	Parapertussis is a bacterial illness similar to pertussis (whooping cough) but it tends to be milder.
<text></text>	 Symptoms Your child may have a runny nose, sneezing, or mild coughing. Your child may cough in sudden, uncontrollable bursts. The cough may end with whooping sounds and/or vomiting. If your child has been infected, it takes 6 to 21 days (usually 7 to 10 days) for symptoms to start. Spread By sneezing or coughing. By touching contaminated hands, objects, or surfaces. Contagious period Unknown, but likely to be most contagious during the first three weeks of coughing. If anyone in your home is coughing for more than 7 days. Your doctor may want to test for the bacteria. Antibiotics may be given.

Prevention

- Cover nose and mouth when coughing or sneezing. Use a tissue or your sleeve. Dispose of used tissues in the trash.
- Wash hands after touching anything that could be contaminated with secretions from the nose or mouth. Your child may need help with handwashing.
- Clean and disinfect any objects or surfaces that come in contact with secretions from the nose or mouth. Use a product that kills germs.
- Preventive treatment may be considered for infants and immunocompromised people who have come in close contact with someone with parapertussis.

For more information, call Dakota County Public Health Department at 952-891-7500.

www.dakotacounty.us

