

CR 4 (Butler Avenue): Sidewalk Inventory

From	To	East/North	Land Use	Good/F Length	Poor Length	West/South	Land Use	Good/F Length	Poor Length	Rating (G/F/P)	Notes	City	
CSAH 63 (Delaware)	Cherokee Av	none	R		0.067	none	R		0.067	n/a		West St. Paul	
Cherokee Av	Ottawa Av	none	R		0.067	none	R		0.067	n/a		West St. Paul	
Ottawa Av	Smith Av	none	R		0.067	none	R		0.067	n/a		West St. Paul	
Smith Av	Manomin Av	sidewalk-north	R		0.076	none	R		0.076	Fair	(a)	West St. Paul	
Manomin Av	Seminole Av	sidewalk-north	R	0.076		sidewalk-south	I	0.076		N-Good, S-Fair	(b)	West St. Paul	
Seminole Av	Ohio Av	sidewalk-north	R	0.076		sidewalk-south	R	0.076		Good		West St. Paul	
Ohio Av	Charleton St	sidewalk-north	R	0.076		sidewalk-south	R	0.076		Good	driveways	West St. Paul	
Charleton St	Harmon Av	sidewalk-north	R	0.076		sidewalk-south	R	0.076		N-Good, S-Fair	(b), driveways	West St. Paul	
Harmon Av	Allen Av	sidewalk-north	R	0.076		sidewalk-south	R	0.076		N-Good, S-Fair	(b), driveways	West St. Paul	
Allen Av	Bellows St	sidewalk-north	I	0.076		sidewalk-south	R	0.076		Good	d'ways, poles	West St. Paul	
Bellows St	Bidwell St	sidewalk-north	I	0.076		sidewalk-south	R	0.076		Good	d'ways, poles	West St. Paul	
Bidwell St	Stryker Av	sidewalk-north	I	0.076		sidewalk-south	I	0.076		Good	paved blvd	West St. Paul	
Stryker Av	Hall Av	sidewalk-north	R	0.060		sidewalk-south	R	0.060		Fair	(b), driveways	West St. Paul	
Hall Av	Signal Hills Ctr	sidewalk-north	R	0.060		sidewalk-south	R	0.060		Fair		West St. Paul	
Signal Hills Ctr	Humboldt Av	sidewalk-north	R	0.060		sidewalk-south	C	0.060		Fair		West St. Paul	
Humboldt Av	Gorman Av	sidewalk-north	R	0.060		sidewalk-south	C	0.060		Good	utility poles	West St. Paul	
Gorman Av	Livingston Av	sidewalk-north	R	0.060		sidewalk-south	C		0.060	N-Good, S-Poor	(b), (c)	West St. Paul	
Livingston Av	TH 3 (Robert)	sidewalk-north	C	0.060		sidewalk-south	C	0.060		Good	d'ways, poles	West St. Paul	
TH 3 (Robert)	Westchester Pl	sidewalk-north	C	0.080		sidewalk-south	C	0.080		Fair	d'ways, poles	West St. Paul	
Westchester Pl	Kruse St	sidewalk-north	R	0.080		sidewalk-south	R	0.080		Good	d'ways, poles	West St. Paul	
Kruse St	CSAH 73 (Oakdale)	sidewalk-north	R	0.080		sidewalk-south	R	0.080		Fair	utility poles	West St. Paul	
CSAH 73 (Oakdale)	Carrie St	sidewalk-north	R	0.153		sidewalk-south	R	0.153		Good	driveways	West St. Paul	
Carrie St	Sperl St	sidewalk-north	R	0.153		sidewalk-south	R	0.153		Good	driveways	West St. Paul	
Sperl St	Waterloo Av	none	R		0.153	none	I		0.153	n/a		West St. Paul	
West St. Paul Subtotal				1.514	0.430					1.454	0.490		
Waterloo Av	TH 52 east ramps	none	R		0.153	none	R		0.153	n/a		South St. Paul	
TH 52 east ramps	TH 52 west ramps	sidewalk-north	U		0.063	none	U		0.063	poor	(d)	South St. Paul	
TH 52 west ramps	Kaposia Pk entran.	none	R		0.063	none	I		0.063	n/a		South St. Paul	
Kaposia Pk entran.	20th Av N	none	R		0.063	none	R		0.063	n/a		South St. Paul	
20th Av N	19th Av N	none	R		0.063	none	R		0.063	n/a	(e)	South St. Paul	
19th Av N	Kassan Av	none	R		0.160	none	U		0.160	n/a	(f)	South St. Paul	
Kassan Av	TH 156	none	U		0.160	none	U		0.160	n/a	(f)	South St. Paul	
South St. Paul Subtotal				0.725								0.725	
TOTAL				1.514	1.155					1.454	1.215	Total Area	5.338

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Notes

- (a) narrow, utility poles in boulevard area, sloped driveways
- (b) some cracking, spalling, vegetation and/or utility poles
- (c) drainage issues
- (d) narrow, no separation from traffic, discontinuous
- (e) significant cross slope, may require retaining walls to install
- (f) prohibitive on south side, significant slope, retaining barriers and utility poles

Land Use

- | | |
|----------|--|
| R | Residential (house, apartment) |
| C | Commercial (business, industrial) |
| I | Institutional (school, church, park, athletic complex) |
| U | Undeveloped (open space, utilities, transportation) |

CR 4 (Butler Avenue): Pedestrian Ramp Inventory

CR 4 (Butler Ave)	Curb Ramp Information						Location
At	# Ramps	To Comply	Notes	Case	Signal	Notes	City
CSAH 63 (Delaware)	0	4	none	4			West St. Paul
Cherokee Av	0	4	none	4			West St. Paul
Ottawa Av	2	2	2 to N Ottawa/appears compliant	4			West St. Paul
Smith Av	0	4	to Smith/question compliant	4			West St. Paul
Manomin Av	0	4	question compliant	4			West St. Paul
Seminole Av	0	4	question compliant	4		(a)	West St. Paul
Ohio Av	4	0	appears compliant	2			West St. Paul
Charleton St	4	0	appears compliant	2			West St. Paul
Harmon Av	2	0	appears compliant	2			West St. Paul
Allen Av	4	0	appears compliant	2		(b)	West St. Paul
Bellows St	2	0	appears compliant	2			West St. Paul
Bidwell St	2	0	appears compliant	2			West St. Paul
Stryker Av	4	0	appears compliant	2			West St. Paul
Hall Av	5	0	appears compliant	2			West St. Paul
Signal Hills Ctr	0	2	sloped only, no domes	3			West St. Paul
Humboldt Av	3	0	appears compliant	2		NW poor	West St. Paul
Gorman Av	2	0	appears compliant	2			West St. Paul
Livingston Av	4	0	appears compliant	2		(b)	West St. Paul
TH 3 (Robert)			under construction		Yes		West St. Paul
Westchester Pl	2	0	appears compliant	2			West St. Paul
Kruse St	2	0	appears compliant	2			West St. Paul
CSAH 73 (Oakdale)	4	1	4 of 5 appear compliant	4		NW add	West St. Paul
Carrie St	2	0	appears compliant	2			West St. Paul
Sperl St	2	2	2 of 4	4		none E	West St. Paul
	50	27					
Waterloo Av	0	2	none	4			South St. Paul
TH 52 east ramps	2	2	2 appear compliant, 2 missing	4			South St. Paul
TH 52 west ramps	0	4	2 in place, poor location/condit.	4			South St. Paul
Kaposia Pk entran.	0	4	none	4			South St. Paul
20th Av N	0	4	none	4			South St. Paul
19th Av N	0	4	none	4			South St. Paul
Kassan Av	0	4	none	4			South St. Paul
TH 156	1	1	1 with ramp cut, some sidewalk	4			South St. Paul
	3	25					
	53	52					

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Curb Ramp Case Ratings

- 1 Ramps with truncated domes that have been checked for compliance
- 2 Ramps that appear substantially compliant
- 3 Ramps without truncated domes
- 4 Ramps in need of construction installation or modification

Notes

- (a) needs upgrade with sidewalk on SW leg
- (b) off-set intersection, stripe accordingly

CSAH 5 (Burnsville): Sidewalk Inventory

From	To	East/North	Land Use	Good/F Length	Poor Length	West/South	Land Use	Good/F Length	Poor Length	Rating (G/F/P)	Notes	City
TH 13 south ramps	Williams Dr	sidewalk	C	0.104		none	C		0.104	good	(a)	Burnsville
Williams Dr	private access	sidewalk	R	0.074		sidewalk	R	0.074		good	(a)	Burnsville
private access	private access	sidewalk	R	0.055		sidewalk	R	0.055		fair		Burnsville
private access	frontage rd access	sidewalk	R	0.036		sidewalk	R	0.036		fair		Burnsville
frontage rd access	private drive	sidewalk	R	0.027		sidewalk	R	0.027		fair		Burnsville
private drive	W 131st St	sidewalk	R	0.063		sidewalk	R	0.063		fair		Burnsville
W 131st St	Big Oak Dr	sidewalk	R	0.032		sidewalk	R	0.032		fair		Burnsville
Big Oak Dr	school access	sidewalk	I	0.011		sidewalk	R	0.011		fair		Burnsville
school access	Manor Dr	sidewalk	I	0.053		sidewalk	R	0.053		fair		Burnsville
Manor Dr	Highland Dr	sidewalk	R	0.201		sidewalk	R	0.201		fair		Burnsville
Highland Dr	Morgan Av	sidewalk	R	0.087		sidewalk	R	0.087		fair		Burnsville
Morgan Av	Burnsville Pkwy	sidewalk	R	0.068		sidewalk	R	0.068		fair		Burnsville
Burnsville Pkwy	W 136th St	sidewalk	R	0.138		sidewalk	C	0.138		fair		Burnsville
W 136th St	Knox Dr	sidewalk	R	0.148		sidewalk	U	0.148		fair		Burnsville
Knox Dr	W 138th St	sidewalk	R	0.117		sidewalk	R	0.117		fair		Burnsville
W 138th St	W 140th St	sidewalk	R	0.180		sidewalk	R	0.180		fair		Burnsville
W 140th St	Friendship Ln	sidewalk	R	0.055		sidewalk	R	0.055		fair		Burnsville
Friendship Ln	CSAH 38	sidewalk	R	0.087		sidewalk	I	0.087		fair		Burnsville
CSAH 38	CSAH 42	trail	C	0.100		sidewalk	C	0.100		fair		Burnsville
CSAH 42	commercial access	sidewalk	C	0.081		none	C		0.081	fair	(c)	Burnsville
commercial access	W 143rd St	sidewalk	R	0.144		none	C		0.144	fair	(c)	Burnsville
W 143rd St	Ames Dr	sidewalk	R	0.119		none	C		0.119	fair	(c)	Burnsville
Ames Dr	Summit Shores Dr	sidewalk	R	0.131		none	C		0.131	fair	(b), (c)	Burnsville
Summit Shores Dr	Southcross Dr	sidewalk	I	0.165		none	C		0.165	fair	(c)	Burnsville
Southcross Dr	Crystal Lake Rd	sidewalk	R	0.102		none	R		0.102	fair	(c)	Burnsville
Crystal Lake Rd	W 149th St	sidewalk	R	0.119		none	U		0.119	fair	(c)	Burnsville
W 149th St	W 150th St	sidewalk	R	0.110		none	R		0.110	fair	(c)	Burnsville
W 150th St	Orchard Dr	trail	R	0.059		none	R		0.059	fair	(c)	Burnsville
Orchard Dr	Cherry Ln	trail	R	0.123		none	R		0.123	fair	(c)	Burnsville
Cherry Ln	W 152nd St	trail	R	0.079		none	R		0.079	fair	(c)	Burnsville
W 152nd St	Circle High Dr	trail	R	0.199		none	I		0.199	fair	(b), (c)	Burnsville
Circle High Dr	W 155th St	trail	R	0.136		none	U		0.136	fair	(c)	Burnsville
W 155th St	W 156th St	trail	R	0.144		none	U		0.144	fair	(c)	Burnsville
W 156th St	W 158th St	trail	R	0.084		none	U		0.084	fair	(b), (c), (d)	Burnsville
W 158th St	south city boundary	trail	R	0.032		none	U		0.032	fair	(b), (c), (d)	Burnsville
TOTAL				3.463	0.000			1.532	1.931		Total Area	6.926

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Notes

- (a) recent construction
- (b) indications of cracking
- (c) utility poles and easements on west side
- (d) areas of overgrowth

Land Use

- R** Residential (house, apartment)
- C** Commercial (business, industrial)
- I** Institutional (school, church, park, athletic complex)
- U** Undeveloped (open space, utilities, transportation)

CSAH 5 (Burnsville): Pedestrian Ramp Inventory

CSAH 5 At	Curb Ramp Information						Location
	Complies	To Comply	Notes	Case	Signal	Notes	City
TH 13 south ramps	4	0		2	Yes	(a)	Burnsville
Williams Dr	4	0		2	Yes	(a)	Burnsville
private access	0	0	private access = 2	3			Burnsville
private access	0	0	private access = 2 comply	2			Burnsville
frontage rd access	0	0	private access = 2, 1 comply	2, 3			Burnsville
private drive	0	0	private access = 2 comply	2			Burnsville
W 131st St	2	0		2			Burnsville
Big Oak Dr	2	0		2			Burnsville
school access	2	0		2			Burnsville
Manor Dr	4	0		2			Burnsville
Highland Dr	2	1		2, 4		(b)	Burnsville
Morgan Av	2	0		2			Burnsville
Burnsville Pkwy	0	10	4 existing, 6 needed	3, 4	Yes	(c), (e)	Burnsville
W 136th St	6	0		2	Yes	(d)	Burnsville
Knox Dr	2	0		2			Burnsville
W 138th St	4	0		2			Burnsville
W 140th St	4	0		2			Burnsville
Friendship Ln	2	1		2, 4		(b)	Burnsville
CSAH 38	0	0	counted as CSAH 38 inventory	2	Yes		Burnsville
CSAH 42	0	0	counted as CSAH 42 inventory	2	Yes		Burnsville
commercial access	2	0		2			Burnsville
W 143rd St	5	0	2 for 143rd St only	2	Yes		Burnsville
Ames Dr	0	0		6			Burnsville
Summit Shores Dr	2	0		2			Burnsville
Southcross Dr	6	0	2 for Southcross Dr only	2	Yes		Burnsville
Crystal Lake Rd	2	0		2			Burnsville
W 149th St	2	0		2			Burnsville
W 150th St	2	0		2			Burnsville
Orchard Dr	2	0		2			Burnsville
Cherry Ln	2	0		2			Burnsville
W 152nd St	0	0		6			Burnsville
Circle High Dr	2	0		2			Burnsville
W 155th St	2	0		2			Burnsville
W 156th St	0	0		6			Burnsville
W 158th St	2	0		2			Burnsville
TOTAL	71	12					

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Curb Ramp Case Ratings

- 1 Ramps with truncated domes that have been checked for compliance
- 2 Ramps that appear substantially compliant
- 3 Ramps without truncated domes
- 4 Ramps in need of construction installation or modification
- 5 Trail exists on one side of road. Trail is at grade & does not require ramps.
- 6 No pedestrian facilities exist.

Notes

- (a) recent construction
- (b) no ramp on opposite side of T-intersection
- (c) pedestrian ramps needed, none exist on free right turn islands
- (d) private drives without ramps
- (e) will be included in future intersection reconstruction project

CSAH 5 (Lakeville): Sidewalk Inventory

From	To	East/North	Land Use	Good/F Length	Poor Length	West/South	Land Use	Good/F Length	Poor Length	Rating (G/F/P)	Notes	City
north city boundary	CSAH 46	trail	R	0.201		none	I		0.201	fair		Lakeville
CSAH 46	163rd St W	trail	R	0.114		none	U		0.114	fair		Lakeville
163rd St W	164th St W	trail	R	0.116		none	U		0.116	fair	(a)	Lakeville
164th St W	166th St W	trail	R	0.140		none	U		0.140	fair	(a)	Lakeville
166th St W	Lower 167th St W	trail	R	0.068		none	U		0.068	fair	(a)	Lakeville
Lower 167th St W	Upper 167th St W	trail	R	0.047		none	U		0.047	fair	(a)	Lakeville
Upper 167th St W	168th St W	trail	R	0.134		none	U		0.134	fair	(a)	Lakeville
168th St W	Klamath Tr	trail	R	0.133		none	R		0.133	fair	(a)	Lakeville
Klamath Tr	Kenyon Av	sidewalk	R	0.125		sidewalk	U	0.125		fair	(b)	Lakeville
Kenyon Av	172nd St W	sidewalk	C	0.072		sidewalk	U	0.072		fair	(a), (b)	Lakeville
172nd St W	I-35 west ramps	sidewalk	U	0.057		sidewalk	C	0.057		fair		Lakeville
I-35 west ramps	I-35 east ramps	none	U		0.108	sidewalk	U	0.108		fair		Lakeville
TOTAL				1.207	0.108			0.362	0.953		Total Area	2.630

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Notes

- (a) some residential driveways
- (b) sidewalk appears in fair condition, areas of crack vegetation growth

Land Use

R	Residential (house, apartment)
C	Commercial (business, industrial)
I	Institutional (school, church, park, athletic complex)
U	Undeveloped (open space, utilities, transportation)

CSAH 5 (Lakeville): Pedestrian Ramp Inventory

CSAH 5 At	Curb Ramp Information						Location
	Complies	To Comply	Notes	Case	Signal	Notes	City
CSAH 46	0	0	included in CSAH 46 inventory	2	Yes		Lakeville
163rd St W	2	0		2			Lakeville
164th St W	2	0		2			Lakeville
166th St W	2	0		2			Lakeville
Lower 167th St W	2	0		2			Lakeville
Uppper 167th St W	2	0		2			Lakeville
168th St W	2	0		2			Lakeville
Klamath Tr	4	0		2			Lakeville
Kenyon Tr	2	0		2			Lakeville
172nd St W	0	2		3			Lakeville
I-35 west ramps	8	0		2	Yes		Lakeville
I-35 east ramps	6	0		2	Yes		Lakeville
TOTAL	32	2					

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Curb Ramp Case Ratings

- 1 Ramps with truncated domes that have been checked for compliance
- 2 Ramps that appear substantially compliant
- 3 Ramps without truncated domes
- 4 Ramps in need of construction installation or modification
- 5 Trail exists on one side of road. Trail is at grade & does not require ramps.
- 6 No pedestrian facilities exist.

CSAH 5S (Kenrick Av - Lakeville): Sidewalk Inventory

From	To	East/North	Land Use	Good/F Length	Poor Length	West/South	Land Use	Good/F Length	Poor Length	Rating (G/F/P)	Notes	City
CSAH 7D	McStop access	none	U		0.049	none	C		0.049	n/a		Lakeville
McStop access	Kenrick Ct	none	U		0.134	none	C		0.134	n/a		Lakeville
Kenrick Ct	private access	none	U		0.125	none	U		0.125	n/a	(a)	Lakeville
private access	215th St W	none	U		0.163	none	U		0.163	n/a	(a)	Lakeville
215th St W	south city boundary	none	U		0.496	none	U		0.496	n/a	(b)	Lakeville
TOTAL				0.000	0.967			0.000	0.967		Total Area	1.934

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Notes

- (a) wider shoulder
- (b) several private driveways

Land Use

R	Residential (house, apartment)
C	Commercial (business, industrial)
I	Institutional (school, church, park, athletic complex)
U	Undeveloped (open space, utilities, transportation)

CSAH 5S (Kenrick Av - Lakeville): Pedestrian Ramp Inventory

CSAH 5S (Kenrick Av)	Curb Ramp Information						Location
At	Complies	To Comply	NOTES	Case	Signal	Notes	City
McStop access	0	0		6			Lakeville
Kenrick Ct	0	0		6			Lakeville
private access	0	0		6			Lakeville
215th St W	0	0		6			Lakeville
south city boundary	0	0		6			Lakeville
	0	0					

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Curb Ramp Case Ratings

- 1 Ramps with truncated domes that have been checked for compliance
- 2 Ramps that appear substantially compliant
- 3 Ramps without truncated domes
- 4 Ramps in need of construction installation or modification
- 5 Trail exists on one side of road. Trail is at grade & does not require ramps.
- 6 No pedestrian facilities exist.

CR 6 (Thompson Avenue): Sidewalk Inventory

From	To	East/North	Land Use	Good/F Length	Poor Length	West/South	Land Use	Good/F Length	Poor Length	Rating (G/F/P)	Notes	City
TH 3 (Robert)	Carrie St	none	R		0.167	none	R		0.167	n/a	(a), (b)	West St. Paul
Carrie St	CSAH 73 (Oakdale)	none	R		0.167	none	I		0.167	n/a	utility poles	West St. Paul
CSAH 73 (Oakdale)	Waterloo Av	none	R		0.167	none	R		0.167	n/a	d'ways, poles	West St. Paul
West St. Paul Subtotal					0.501				0.501			
Waterloo Av	TH 52 east ramps	sidewalk-north	U	0.145		sidewalk-south	U	0.145		good	bridge	South St. Paul
TH 52 east ramps	24th Av N	sidewalk-north	R	0.145		none	U		0.145	good / n/a	(c)	South St. Paul
24th Av N	Levander Way	sidewalk-north	R	0.055		none	R		0.055	fair / n/a	age / poles	South St. Paul
Levander Way	Star Ln	sidewalk-north	R	0.055		none	R		0.055	fair / n/a	age / poles	South St. Paul
Star Ln	21st Av N	sidewalk-north	R	0.055		none	R		0.055	fair / n/a	age	South St. Paul
21st Av N	Cresthaven Dr	sidewalk-north	R	0.055		none	R		0.055	fair / n/a	age / poles	South St. Paul
Cresthaven Dr	20th Av N	sidewalk-north	R	0.055		none	R		0.055	good / n/a	slope / poles	South St. Paul
20th Av N	19th Av N	sidewalk-north	R	0.055		none	R		0.055	good / n/a	narrow / veg	South St. Paul
19th Av N	18th Av N	sidewalk-north	C	0.055		sidewalk-south	I	0.055		good		South St. Paul
18th Av N	17th Av N	sidewalk-north	R	0.055		sidewalk-south	R	0.055		good		South St. Paul
17th Av N	16th Av N	sidewalk-north	R	0.055		sidewalk-south	R	0.055		good		South St. Paul
16th Av N	15th Av N	sidewalk-north	R	0.055		sidewalk-south	R	0.055		good		South St. Paul
15th Av N	14th Av N	sidewalk-north	R	0.055		sidewalk-south	R	0.055		good		South St. Paul
14th Av N	13th Av N	sidewalk-north	R	0.055		sidewalk-south	C	0.055		good		South St. Paul
13th Av N	12th Av N	sidewalk-north	R	0.055		sidewalk-south	C	0.055		fair / good	(d)	South St. Paul
12th Av N	11th Av N	sidewalk-north	R	0.060		sidewalk-south	R	0.060		good		South St. Paul
11th Av N	10th Av N	sidewalk-north	R	0.060		none	R		0.060	good / n/a		South St. Paul
10th Av N	Highland Av	sidewalk-west	R	0.060		none	U		0.060	good / n/a	(e)	South St. Paul
Highland Av	1/2 way to Central	sidewalk-west	R	0.083		none	U		0.083	fair / n/a	veg, drainage	South St. Paul
1/2 way to Central	Central Av	sidewalk-west	R	0.083		sidewalk-east	U	0.083		fair	slope issues	South St. Paul
Central Av	TH 156	sidewalk-north	C	0.083		sidewalk-south	C	0.083		good		South St. Paul
South St. Paul Subtotal					1.434	0.000		0.756	0.678		Subtotal	
TOTAL					1.434	0.501		0.756	1.179		Total Area	3.870

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Notes

- (a) narrow, utility poles in boulevard area, sloped driveways
- (b) significant cross slope, may require retaining walls to install
- (c) utility poles, significant slope, vegetation
- (d) drainage issues, vegetation, slope
- (e) may be prohibitive due to slope and vegetation

Land Use

R	Residential (house, apartment)
C	Commercial (business, industrial)
I	Institutional (school, church, park, athletic complex)
U	Undeveloped (open space, utilities, transportation)

CR 6 (Thompson Avenue): Pedestrian Ramp Inventory

CR 6 (Thompson Av)	Curb Ramp Information						Location
At	# Ramps	To Comply	Notes	Case	Signal	Notes	City
TH 3 (Robert)	2	0		2	Yes		West St. Paul
Carrie St	0	2	none	4			West St. Paul
CSAH 73 (Oakdale)	0	4	3 in place, poor condition	4			West St. Paul
West St. Paul Subtotal	2	6					
Waterloo Av	4	0		2	Yes	52 ramp	South St. Paul
TH 52 east ramps	4	0		2	Yes	52 ramp	South St. Paul
24th Av N	1	1		3			South St. Paul
Levander Way	0	4	2 in place, poor condition	4			South St. Paul
Star Ln	0	2		4			South St. Paul
21st Av N	0	2		3			South St. Paul
Cresthaven Dr	0	2		4			South St. Paul
20th Av N	0	2		3			South St. Paul
19th Av N	0	4		3			South St. Paul
18th Av N	0	2		3			South St. Paul
17th Av N	0	4		3			South St. Paul
16th Av N	0	4		3			South St. Paul
15th Av N	0	4		3			South St. Paul
14th Av N	0	2		3			South St. Paul
13th Av N	0	4		3			South St. Paul
12th Av N	0	4		3			South St. Paul
11th Av N	2	2		3			South St. Paul
10th Av N	2	2		4		(a)	South St. Paul
Highland Av	1	3		4		(a)	South St. Paul
1/2 way to Central	0	1		3			South St. Paul
Central Av	2	0		2			South St. Paul
TH 156	2	0		2			South St. Paul
South St. Paul Subtotal	18	49					
TOTAL	20	55					

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Curb Ramp Case Ratings

- 1 Ramps with truncated domes that have been checked for compliance
- 2 Ramps that appear substantially compliant
- 3 Ramps without truncated domes
- 4 Ramps in need of construction installation or modification

Notes

- (a) may not be required/no future sidewalk because of extreme slope/vegetation

CR 8 (Wachtler Avenue): Sidewalk Inventory

From	To	East/North	Land Use	Good/F Length	Poor Length	West/South	Land Use	Good/F Length	Poor Length	Rating (G/F/P)	Notes	City
TH 13 (Sibley Mem H)	Riverside Ln	none	R		0.094	trail-south	R	0.094		trail-good		Mendota Hts
Riverside Ln	Emerson Av	none	R		0.094	trail-south	R	0.094		trail-good		Mendota Hts
Emerson Av	Cherry Hill Rd	none	R		0.094	trail-south	U	0.094		trail-good		Mendota Hts
Cherry Hill Rd	Farmdale Rd	none	R		0.094	trail-south	R	0.094		trail-good		Mendota Hts
Farmdale Rd	Park Place Dr	none	R		0.094	trail-south	R	0.094		trail-good	(a)	Mendota Hts
Park Place Dr	Upper Colonial Dr	none	R		0.094	trail-south	R	0.094		trail-good		Mendota Hts
Upper Colonial Dr	Park Place Dr (s)	none	R		0.094	trail-south	R	0.094		trail-good	(a)	Mendota Hts
Park Place Dr (s)	Wentworth Av	none	U		0.094	trail-south	R	0.094		trail-good	(b)	Mendota Hts
TOTAL					0.752			0.752			Total Area	1.504

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Notes

- (a) Park Place Dr median extends into trail alignment
- (b) Trail connection to Wentworth at odd location. Should have appropriate signing and striping

Land Use

R	Residential (house, apartment)
C	Commercial (business, industrial)
I	Institutional (school, church, park, athletic complex)
U	Undeveloped (open space, utilities, transportation)

CR 8 (Wachtler Avenue): Pedestrian Ramp Inventory

CR 8 (Wachtler Ave)	Curb Ramp Information						Location
At	# Ramps	To Comply	Notes	Case	Signal	Notes	City
TH 13 (Sibley Mem H)	0	0	rural design, trail at grade	5		(a)	Mendota Hts
Riverside Ln	0	0	rural design, trail at grade	5		(a)	Mendota Hts
Emerson Av	0	0	rural design, trail at grade	5		(a), (b)	Mendota Hts
Cherry Hill Rd	0	0	rural design, trail at grade	5		(a)	Mendota Hts
Farmdale Rd	0	0	rural design, trail at grade	5		(a)	Mendota Hts
Park Place Dr	0	0	rural design, trail at grade	5		(c)	Mendota Hts
Upper Colonial Dr	0	0	rural design, trail at grade	5		(a), (b)	Mendota Hts
Park Place Dr (s)	0	0	rural design, trail at grade	5		(a), (c)	Mendota Hts
Wentworth Av	0	0	rural design, trail at grade	5		(d)	Mendota Hts
TOTAL	0	0					

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Curb Ramp Case Ratings

- 1 Ramps with truncated domes that have been checked for compliance
- 2 Ramps that appear substantially compliant
- 3 Ramps without truncated domes
- 4 Ramps in need of construction installation or modification
- 5 Trail exists on one side of road. Trail is at grade & does not require ramps.

Notes

- (a) trail on south side, at grade, ramps not required.
- (b) paved connection at intersection to ramp should be considered.
- (c) Park Place Dr median extends into trail alignment
- (d) Trail connection to Wentworth at odd location. Should have appropriate signing and striping

CR 8/CSAH 8 (Wentworth Avenue): Sidewalk Inventory

From	To	East/North	Land Use	Good/F Length	Poor Length	West/South	Land Use	Good/F Length	Poor Length	Rating (G/F/P)	Notes	City
CR 8 (Wachtler Av)	Wentworth Park E	trail-north	U	0.230		none	R		0.230	trail-fair	CR only, (a)	Mendota Hts
Wentworth Park Ent	TH 149 (Dodd Rd)	trail-north	R	0.230		none	R		0.230	trail-fair	CR only, (a)	Mendota Hts
TH 149 (Dodd Rd)	Foxwood Ln	none	I		0.274	none	R		0.274	n/a	(a), (b)	Mendota Hts
Foxwood Ln	CSAH 63 (Delaware)	none	I		0.274	none	R		0.274	n/a	(a), (b)	Mendota Hts
Mendota Heights Subtotal					0.460	0.548			1.008			
CSAH 63 (Delaware Av)	Smith Av S	none	R		0.218	none	U		0.218	n/a	(a), (c)	West St. Paul
Smith Av S	Charlton St	none	U		0.218	none	U		0.218	n/a	(a), (c)	West St. Paul
Charlton St	Bellows St	none	R		0.218	none	R		0.218	n/a	(a)	West St. Paul
Bellows St	Humboldt Av	none	U		0.146	none	U		0.146	n/a	(a), (b), (c)	West St. Paul
Humboldt Av	athletic comp ent	trail-north	C	0.146		none	I		0.146	trail-fair		West St. Paul
athletic comp ent	Livingston Av	trail-north	C	0.146		sidewalk-south	I	0.146		t-poor, s-good		West St. Paul
Livingston Av	TH 3 (Robert St)	trail-north	C	0.146		sidewalk-south	C	0.146		t-poor, s-good	(d)	West St. Paul
TH 3 (Robert St)	Crawford Dr	sidewalk-north	C	0.114		none	C		0.114	fair	(a)	West St. Paul
Crawford Dr	Marthaler Ln	trail-north	I	0.114		none	C		0.114	fair		West St. Paul
Marthaler Ln	CR 73 (Oakdale Av)	trail-north	R	0.114		none	C		0.114	fair		West St. Paul
CR 73 (Oakdale Av)	Meadow Ln	none	R		0.114	none	I		0.114	n/a	(a)	West St. Paul
Meadow Ln	Christensen Av	none	R		0.114	trail-south	I	0.114		good		West St. Paul
Christensen Av	TH 52 west ramps	none	R		0.114	trail-south	I	0.114		good		West St. Paul
TH 52 west ramps	TH 52 east ramps	trail-north	U	0.069		trail-south	U	0.069		good		West St. Paul
West St. Paul Subtotal					0.849	1.142			0.589	1.402		
TH 52 east ramps	Jewell Ln	none	R		0.125	none	R		0.125	n/a	CR only (a)	South St. Paul
Jewell Ln	21st Av N	none	R		0.125	none	R		0.125	n/a	CR only (a)	South St. Paul
21st Av N	20th Av N	none	R		0.063	none	R		0.063	n/a	CR only (a)	South St. Paul
20th Av N	19th Av N	none	R		0.063	none	R		0.063	n/a	CR only (a)	South St. Paul
19th Av N	18th Av N	none	R		0.063	none	R		0.063	n/a	CR only (a)	South St. Paul
18th Av N	17th Av N	none	R		0.063	none	R		0.063	n/a	CR only (a)	South St. Paul
17th Av N	16th Av N	none	R		0.063	none	R		0.063	n/a	CR only (a)	South St. Paul
16th Av N	15th Av N	none	R		0.063	none	R		0.063	n/a	CR only (a)	South St. Paul
South St. Paul Subtotal						0.628			0.628			
TOTAL					1.309	2.318			0.589	3.038	Total Area	7.254

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Notes

- (a) Utility poles on south side
- (b) Narrow right-of-way
- (c) Significant slope on south side
- (d) Requires field check with recent Robert St. improvements

Land Use

R	Residential (house, apartment)
C	Commercial (business, industrial)
I	Institutional (school, church, park, athletic complex)
U	Undeveloped (open space, utilities, transportation)

CR 8 / CSAH 8 (Wentworth Ave.): Pedestrian Ramp Inventory

CR 8 / CSAH 8 At	Curb Ramp Information						Location
	# Ramps	To Comply	Notes	Case	Signal	Notes	City
CR 8 (Wachtler Av)	0	0	rural design, trail at grade	5		CR only (a)	Mendota Hts
Wentworth Park E	0	0	rural design, trail at grade	5		CR only (a)	Mendota Hts
TH 149 (Dodd Rd)	0	0		6			Mendota Hts
Foxwood Ln	0	0		6			Mendota Hts
Mendota Heights Subtotal	0	0					
CSAH 63 (Delaware Av)	0	0		6			West St. Paul
Smith Av S	0	0		6			West St. Paul
Charlton St	0	2	Sidewalk on east side of Charlton	4			West St. Paul
Bellows St	0	0		6			West St. Paul
Humboldt Av	3	1	Sidewalk on Humboldt	4			West St. Paul
athletic comp ent	0	3	Sidewalk east of entrance	4			West St. Paul
Livingston Av	2	2		4			West St. Paul
TH 3 (Robert St)	4	0		2	Yes	(b)	West St. Paul
Crawford Dr	2	2		4			West St. Paul
Marthaler Ln	0	2		4			West St. Paul
CR 73 (Oakdale Av)	2	2	no ramps in SW corner	4			West St. Paul
Meadow Ln	2	2		4			West St. Paul
Christensen Av	0	2		4			West St. Paul
TH 52 west ramps	8	0		2			West St. Paul
West St. Paul Subtotal	23	18					
TH 52 east ramps	8	0		2		CR only	South St. Paul
Jewell Ln	0	2		4		CR only	South St. Paul
21st Av N	0	2		4		CR only	South St. Paul
20th Av N	1	1		4		CR only	South St. Paul
19th Av N	0	4		4		CR only	South St. Paul
18th Av N	0	2		4		CR only	South St. Paul
17th Av N	2	2		4		CR only	South St. Paul
16th Av N	3	1		4		CR only	South St. Paul
South St. Paul Subtotal	14	14					
TOTAL	37	32					

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Curb Ramp Case Ratings

- 1 Ramps with truncated domes that have been checked for compliance
- 2 Ramps that appear substantially compliant
- 3 Ramps without truncated domes
- 4 Ramps in need of construction installation or modification
- 5 Trail exists on one side of road. Trail is at grade & does not require ramps.
- 6 No pedestrian facilities exist.

Notes

- (a) trail on north side, at grade, ramps not required.
- (b) Requires field check with recent Robert St. improvements

CR 8 (15th Avenue North): Sidewalk Inventory

From	To	East/North	Land Use	Good/F Length	Poor Length	West/South	Land Use	Good/F Length	Poor Length	Rating (G/F/P)	Notes	City
CR 8 (Wentworth Av)	4th St N	sidewalk-east	R	0.083		sidewalk-west	R	0.083		Fair	(a)	South St. Paul
4th St N	3rd St N	sidewalk-east	I	0.083		sidewalk-west	I	0.083		Good		South St. Paul
3rd St N	2nd St N	none	R		0.083	none	R		0.083	n/a	(b)	South St. Paul
2nd St N	Marie Av	none	I		0.185	none	I		0.185	n/a		South St. Paul
Marie Av	CR 14 (Southview B)	none	R		0.185	sidewalk-west	R	0.185		Good		South St. Paul
TOTAL				0.166	0.453			0.351	0.268		Total Area	1.238

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Notes

- (a) Some locations in need of repair.
- (b) Mature trees in future sidewalk location.

Land Use

R	Residential (house, apartment)
C	Commercial (business, industrial)
I	Institutional (school, church, park, athletic complex)
U	Undeveloped (open space, utilities, transportation)

CR 8 (15th Avenue North): Pedestrian Ramp Inventory

CR 15 (15th Av N)	Curb Ramp Information						Location
At	Complies	To Comply	Notes	Case	Signal	Notes	City
CR 8 (Wentworth Av)	0	4		3			South St. Paul
4th St N	6	2	2 missing, 6 without domes	4			South St. Paul
3rd St N	2	0	no sidewalk south of intersection	2			South St. Paul
2nd St N	0	0		6			South St. Paul
Marie Av	0	1		3			South St. Paul
CR 14 (Southview Blvd)	2	2	4 total, 2 have new domes	3			South St. Paul
TOTAL	10	9					

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Curb Ramp Case Ratings

- 1 Ramps with truncated domes that have been checked for compliance
- 2 Ramps that appear substantially compliant
- 3 Ramps without truncated domes
- 4 Ramps in need of construction installation or modification
- 5 Trail exists on one side of road. Trail is at grade & does not require ramps.
- 6 No pedestrian facilities exist

CSAH 9 (Dodd Blvd - Lakeville): Sidewalk Inventory

From	To	East/North	Land Use	Good/F Length	Poor Length	West/South	Land Use	Good/F Length	Poor Length	Rating (G/F/P)	Notes	City
CSAH 31	Elm Creek Ln	none	U		0.110	trail	R	0.110		fair		Lakeville
Elm Creek Ln	Dodd Ln	none	U		0.167	trail	I	0.167		fair		Lakeville
Dodd Ln	Fairgreen Av	trail	R	0.220		none	R		0.220	fair		Lakeville
Fairgreen Av	Farcry Way	none	R		0.121	none	R		0.121	n/a	(a)	Lakeville
Farcry Way	Finesse Way	none	R		0.178	none	R		0.178	n/a	(a)	Lakeville
Finesse Way	Flagstaff Av W	none	R		0.284	none	R		0.284	n/a	(a)	Lakeville
Flagstaff Av W	169th St W	none	R		0.252	none	R		0.252	n/a	(a), (b)	Lakeville
169th St W	Foliage Av	none	R		0.049	none	R		0.049	n/a	(a), (b)	Lakeville
Foliage Av	Galleon Cir	trail	R	0.138		none	R		0.138	fair		Lakeville
Galleon Cir	Gerdine Path	trail	R	0.307		none	R		0.307	fair		Lakeville
Gerdine Path	Glacier Way	trail	R	0.246		none	R		0.246	fair		Lakeville
Glacier Way	Glasgow Av	trail	C	0.116		none	U		0.116	fair		Lakeville
Glasgow Av	CSAH 23	trail	C	0.116		none	U		0.116	fair		Lakeville
CSAH 23	private access	trail	C	0.080		none	U		0.080	fair		Lakeville
private access	175th St W	none	U		0.176	none	U		0.176	n/a	(a)	Lakeville
175th St W	Hayes Av	none	U		0.447	none	R		0.447	n/a	(a)	Lakeville
Hayes Av	Highview Av	none	U		0.066	trail	R	0.066		good		Lakeville
Highview Av	Hyde Park Av	none	U		0.456	trail	R	0.456		good		Lakeville
Hyde Park Av	183rd St W	none	I		0.203	trail	R	0.203		good		Lakeville
183rd St W	Lifetime access	trail	I	0.108		trail	C	0.108		good		Lakeville
Lifetime access	CSAH 60	trail	I	0.121		trail	C	0.121		good		Lakeville
CSAH 60	Inca Av	none	U		0.239	none	I		0.239	n/a	(b)	Lakeville
Inca Av	190th St	none	R		0.233	none	R		0.233	n/a	(a)	Lakeville
190th St	bottom of hill	none	R		0.248	none	R		0.248	n/a	(a), (b)	Lakeville
bottom of hill	195th St W	none	R		0.229	trail	R	0.229		fair		Lakeville
195th St W	198th St W	trail	R	0.227		trail	I	0.227		fair		Lakeville
198th St W	Itea Ave	trail	R	0.127		trail	I	0.127		fair		Lakeville
Itea Ave	private access	trail	C	0.032		private access	I	0.032		fair		Lakeville
private access	Cub access	trail	C	0.064		trail	I	0.064		fair		Lakeville
Cub access	Ideal Way	sidewalk	C	0.036		trail	R	0.036		fair		Lakeville
Ideal Way	Heritage Dr	sidewalk	C	0.059		trail	C	0.059		fair		Lakeville
Heritage Dr	private access	sidewalk	C	0.055		sidewalk	C	0.055		fair		Lakeville
private access	CSAH 50	sidewalk	C	0.036		sidewalk	C	0.036		fair		Lakeville
CSAH 50	202nd St W	none	C		0.066	none	C		0.066	n/a		Lakeville
202nd St W	private access	none	R		0.083	none	R		0.083	n/a	(a)	Lakeville
private access	Impatiens Way	none	R		0.080	none	R		0.080	n/a	(a), (b)	Lakeville
Impatiens Way	207th St W	none	R		0.112	none	R		0.112	n/a	(a), (b)	Lakeville
207th St W	trail crossing	none	R		0.066	none	I		0.066	n/a	(a)	Lakeville
trail crossing	208th St W	none	R		0.178	none	R		0.178	n/a	(a)	Lakeville
208th St W	210th St W	none	R		0.112	none	R		0.112	n/a	(a)	Lakeville
210th St W	212th St W	none	R		0.199	none	R		0.199	n/a	(a), (b)	Lakeville
212th St W	213th St W	none	R		0.123	none	R		0.123	n/a	(a), (b)	Lakeville
213th St W	CSAH 70	none	R		0.159	none	R		0.159	n/a	(a), (b)	Lakeville
CSAH 70	217th St W	none	C		0.248	none	U		0.248	n/a		Lakeville
217th St W	220th St W	none	C		0.248	none	U		0.248	n/a		Lakeville
220th St W	south city boundary	none	U		0.011	none	U		0.011	n/a		Lakeville
TOTAL				2.088	5.143	2.096				5.135	Total Area	14.462

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Notes

- (a) no paved shoulder
- (b) some residential driveways

Land Use

R	Residential (house, apartment)
C	Commercial (business, industrial)
I	Institutional (school, church, park, athletic complex)
U	Undeveloped (open space, utilities, transportation)

CSAH 9 (Dodd Blvd - Lakeville): Pedestrian Ramp Inventory

CSAH 9 (Dodd Blvd)	Curb Ramp Information						Location
	Complies	To Comply	Notes	Case	Signal	Notes	City
CSAH 31	2	2		2, 3	Yes	(a)	Lakeville
Elk Creek Ln	2	0		2			Lakeville
Dodd Ln	2	0		2			Lakeville
Fairgreen Av	4	0		2			Lakeville
Farcry Way	0	0		6			Lakeville
Finesse Way	0	0		6			Lakeville
Flagstaff Av W	4	0	for Flagstaff Av W walk/trail	2			Lakeville
169th St W	0	0		6			Lakeville
Foliage Av	2	0	for Foliage Av walk/trail	2			Lakeville
Galleon Cir	3	0		2			Lakeville
Gerdine Path	0	2		3			Lakeville
Glacier Way	0	2		3			Lakeville
Glasgow Av	0	2		3			Lakeville
CSAH 23	2	2	2 on south side w/out truncated	2, 3	Yes		Lakeville
private access	2	0	trail ends	2			Lakeville
175th St W	0	0		6			Lakeville
Hayes Av	2	0	begin trail	2			Lakeville
Highview Av	16	0	roundabout	2			Lakeville
Hyde Park Av	2	0		2			Lakeville
183rd St W	4	0		2			Lakeville
Lifetime access	2	2	2 at park comply, 2 at Lifetime not	2, 3			Lakeville
CSAH 60	0	0	included in CSAH 60 inventory	2			Lakeville
Inca Av	0	0		6			Lakeville
190th St	0	0		6			Lakeville
bottom of hill	0	0		6			Lakeville
195th St W	2	2	2 on west side w/out truncated	2, 3			Lakeville
198th St W	2	0		2			Lakeville
Itea Av	2	2	2 on west side w/out truncated	2, 3			Lakeville
private access	2	0		2			Lakeville
Cub access	2	0		2			Lakeville
Ideal Way	0	4		3			Lakeville
Heritage Dr	2	2	2 on west side w/out truncated	2, 3			Lakeville
private access	2	2	2 on west side w/out truncated	2, 3			Lakeville
CSAH 50	0	0	included in CSAH 50 inventory	2	Yes		Lakeville
202nd St W	0	0		6			Lakeville
private access	0	0		6			Lakeville
Impatiens Way	0	0		6			Lakeville
207th St W	0	0		6			Lakeville
trail crossing	2	0		2			Lakeville
208th St W	0	0		6			Lakeville
210th St W	0	0		6			Lakeville
212th St W	0	0		6			Lakeville
213th St W	0	0		6			Lakeville
CSAH 70	0	0	included in CSAH 70 inventory	2	Yes		Lakeville
217th St W	0	0		6			Lakeville
220th St W	0	0		6			Lakeville
south city boundary	0	0		6			Lakeville
TOTAL	65	24					

Shaded areas represent priority locations, areas of missing infrastructure and/or areas to address

Curb Ramp Case Ratings

- 1 Ramps with truncated domes that have been checked for compliance
- 2 Ramps that appear substantially compliant
- 3 Ramps without truncated domes
- 4 Ramps in need of construction installation or modification
- 5 Trail exists on one side of road. Trail is at grade & does not require ramps.
- 6 No pedestrian facilities exist.

Notes

- (a) as of 2015, prior to construction, no truncated domes on east side